

2022

Marine mammals in the Western English Channel, a survey from the Rame Head Peninsula

Douglas, J.

Douglas, J. (2022) 'Marine mammals in the Western English Channel, a survey from the Rame Head Peninsula', *The Plymouth Student Scientist*, 15(2), pp. 163-192.

<https://doi.org/10.24382/kq6f-0x30>

<http://hdl.handle.net/10026.1/20118>

<https://doi.org/10.24382/kq6f-0x30>

University of Plymouth

All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.

Coastal Survey Form- 2021

| Date: | | Observers: | | | Methods used: (Binos/Scope) | | Location: Rame Head Peninsula | | |
|--------|------|----------------|-----------------------|-------------------------|-----------------------------|-----------------|-------------------------------|----------------|-------------|
| Scan 1 | Time | Wind Direction | Wind Strength (knots) | Sea State (Beaufort no) | Cloud cover % | Visibility (km) | Glare | Sightings: Y/N | Other Notes |
| Start | | | | | | | | | |
| End | | | | | | | | | |
| Scan 2 | Time | Wind Direction | Wind Strength (knots) | Sea State (Beaufort no) | Cloud cover % | Visibility (km) | Glare | Sightings: Y/N | Other Notes |
| Start | | | | | | | | | |
| End | | | | | | | | | |
| Scan 3 | Time | Wind Direction | Wind Strength (knots) | Sea State (Beaufort no) | Cloud cover % | Visibility (km) | Glare | Sightings: Y/N | Other Notes |
| Start | | | | | | | | | |
| End | | | | | | | | | |
| Scan 4 | Time | Wind Direction | Wind Strength (knots) | Sea State (Beaufort no) | Cloud cover % | Visibility (km) | Glare | Sightings: Y/N | Other Notes |
| Start | | | | | | | | | |
| End | | | | | | | | | |
| Scan 5 | Time | Wind Direction | Wind Strength (knots) | Sea State (Beaufort no) | Cloud cover % | Visibility (km) | Glare | Sightings: Y/N | Other Notes |
| Start | | | | | | | | | |
| End | | | | | | | | | |
| Scan 6 | Time | Wind Direction | Wind Strength (knots) | Sea State (Beaufort no) | Cloud cover % | Visibility (km) | Glare | Sightings: Y/N | Other Notes |
| Start | | | | | | | | | |
| End | | | | | | | | | |
| Scan 7 | Time | Wind Direction | Wind Strength (knots) | Sea State (Beaufort no) | Cloud cover % | Visibility (km) | Glare | Sightings: Y/N | Other Notes |
| Start | | | | | | | | | |
| End | | | | | | | | | |
| Scan 8 | Time | Wind Direction | Wind Strength (knots) | Sea State (Beaufort no) | Cloud cover % | Visibility (km) | Glare | Sightings: Y/N | Other Notes |
| Start | | | | | | | | | |
| End | | | | | | | | | |

Figure 18: Page 1 of the recording form used by surveyor. This was used to record all environmental data and beginning and end times of the scans.

